

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1450 Alexandria, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/564,594	05/15/2006	Stephen William Sankey	DTG1-126US	1832
31344 7590 01/08/2010 RATNERPRESTIA		EXAM	IINER	
P.O. BOX 1596			WATKINS III, WILLIAM P	
WILMINGTO	N, DE 19899		ART UNIT	PAPER NUMBER
			1794	
			MAIL DATE	DELIVERY MODE
			01/08/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

## Office Action Summary

Application No.	Applicant(s)	
10/564,594	SANKEY ET AL.	
Examiner	Art Unit	
William P. Watkins III	1794	

The MAILING DATE of this communication appears on the cover sheet with the correspondence address

Period for R	eply
WHICHE - Extensions after SIX ( - If NO period - Failure to ( Any reply)	TENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, VER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed by MCNFH's from the mailing date of this communication. May be a set of the communication of the communi
Status	
2a)⊠ Thi 3)⊡ Sin	sponsive to communication(s) filed on 30 December 2009. s action is FINAL. 2b   This action is non-final. ce this application is in condition for allowance except for formal matters, prosecution as to the merits is sed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.
Disposition	of Claims
4a) 5)□ Cla 6)⊠ Cla 7)□ Cla	im(s) 1-27 is/are pending in the application.  Of the above claim(s) 21-27 is/are withdrawn from consideration.  im(s) is/are allowed.  im(s) 1-20 is/are rejected.  im(s) is/are objected to.  im(s) are subject to restriction and/or election requirement.
Application	Papers
10) The	specification is objected to by the Examiner.  drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.  discant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  slacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.
Priority unde	er 35 U.S.C. § 119
a)	nowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).    b  Some * c  None of:   Certified copies of the priority documents have been received.   Certified copies of the priority documents have been received in Application No   Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  The attached detailed Office action for a list of the certified copies not received.
Attachment(s)	

1) Notice of References Cited (PTO-892)	4) Interview Summary (PTO-413)	
<ol> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> </ol>	Paper No(s)/Mail Date	
3) Information Disclosure Statement(s) (PTO/SB/08)	<ol> <li>Notice of Informal Patent Application</li> </ol>	
Paper No(s)/Mail Date	6) Other:	

Page 2

Application/Control Number: 10/564,594

Art Unit: 1794

## DETAILED ACTION

- 1. The office action mailed 12/29/2009 is withdrawn and replaced by the instant office action and the time for response is reset to the mailing date of the instant office action. This is done in response to applicant's request, filed 12/30/2009, to clarify the finality of the rejection mailed 12/29/2009, there being a difference between the cover sheet and detailed portion of the office action 12/29/2009. The instant office action is final as noted below. The form 1449 filed 10/28/2009 is attached to the 12/29/2009 office action and not the instant office action.
- The declaration filed 24 September 2009 is accepted.
- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 1-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Isakson et al. (U.S. 4,640,838) in view of Dyke (U.S. 4,515,841).

Isakson teaches a vent opening that is covered by a tape that has a layer that is weakened by heating during microwave cooking of food (Figure 4, Example 1). Dyke

Application/Control Number: 10/564,594

Art Unit: 1794

teaches the use of either a polymer that softens when it is heated or a water soluble polymer such as polyvinyl alcohol that absorbs steam and expands and dissolves to form an opening when a water containing substance is heated in a package (abstract). The instant invention claims a water soluble barrier layer over an opening in a thermal sealed package with a vent hole that is covered by a barrier of a water soluble material. It would have been obvious to one of ordinary skill in the art to have used a water soluble instead of a heat sensitive barrier layer in Isakson et al. because Dyke teaches these as alternate substitutes in the bag venting art when the contents of the package or the environment in which it is processed contain water. Variation in the thickness of the soluble layer and variation in the selection of bag substrate and soluble barrier materials is taken as being within the ordinary skill of the art depending on the strength of the seal desired and the desired opening temperatures and pressures, absent unexpected results.

 Applicant's arguments with respect to claims 1-20 filed 24 September 2009 have been considered but have not been found to be persuasive.

Applicant argues that Isakson et al. requires both the heat sensitive deposit and the outer layer be of impermeable materials that can only function by softening of the heat deposit from direct action of microwave energy on particles that absorb it in the deposit or the overall function of Isakson et al will be rendered inoperable. The examiner disagrees. It would be possible to substitute a water soluble polymer such at the PVA taught by Dyke that has adhesive properties for element 24 of Figure 4 of Isakson et al.

Page 4

Application/Control Number: 10/564,594

Art Unit: 1794

and still have outer layer 22 be made of an impermeable material. The water soluble adhesive would be weakened by water vapor evaporated from the contents of the package (water is the main microwave absorber in most food products). Once it is weakened, pressure from the inside of the container would displace the impermeable outer barrier layer, thus venting the package and preserving the basic function of the package.

 THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to William P. Watkins III whose telephone number is 571-272-1503. The examiner works an increased flex time schedule, but can normally be reached Monday through Friday, 11:30 A.M. through 8:00 P.M. Eastern Time. The examiner returns all calls within one business day unless an extended absence is noted on his voice mail greeting.

Application/Control Number: 10/564,594 Page 5

Art Unit: 1794

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Sample can be reached on 571-272-1376. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR of Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="https://pair-direct.uspto.gov">https://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

WW/ww January 8, 2010

/William P. Watkins III/ Primary Examiner, Art Unit 1794